




TROMMEL SCREENS AND ROTARY DRUM SCREENS

*Equipment to size your product
and increase your profits.*



Increase your production . . .

Clarke's[®] Trommel Screens and Rotary Drum Screens can improve the quality of your product and increase your profits.



The Trommel Screens and Rotary Drum Screens operate quietly and efficiently – with a smooth rotary action that requires low

horsepower and less maintenance. Gentle tumbling action removes dirt and fines from most materials, producing a clean product without generating additional fines. The rotary action makes the screens virtually self-cleaning and with the addition of specially designed mesh cleaning brushes, the screens will process moderately wet materials.

CLARKE'S Trommel Screens and Rotary Drum Screens feature simple design and rugged construction which mean longer life and lower maintenance.



And your profits!

Clarke's® **TROMMEL SCREENS**

CLARKE'S Trommel Screens provide a reliable, cost efficient system for cleaning hogged fuel and other irregular or stringy material by removing the dirt and fine contaminants.

- Functional design ensures proper screening.
- Optional trunnion wheel drive or chain drive to the periphery of the drum.
- Trunnion and thrust wheels mounted on heavy duty tapered roller bearings.
- Screen cloth changing is easily accomplished from the outside.
- Trailer mounting of the assembled unit is also available.



Clarke's® **ROTARY DRUM SCREENS**


CLARKE'S Rotary Drum Screens clean fines out of process material. Effectively removing fines from wood flakes and strands, results in a superior furnish, a better quality board and higher profits.

- The Rotary Drum Screen features heavy duty tapered roller bearings, a large diameter center shaft, internal support trusses and center shaft chain drive.
- Easily made dust-tight to meet work area requirements.
- Can be made completely weatherproof for outdoor installation.
- Efficiently screens fines out of process material.
- Produces a better furnish for your board.




SPECIFICATIONS

ROTARY DRUM SCREEN



*SIZE	A	B	C	D	E
8 × 20	8'0"	20'9"	9'0"	10'0"	27'0"
8 × 25	8'0"	25'9"	9'0"	10'0"	32'0"
10 × 20	10'0"	20'9"	11'0"	12'0"	27'0"
10 × 30	10'0"	30'9"	11'0"	12'0"	37'0"

TROMMEL SCREEN



Trunnion wheel drive shown. Skip tooth drum chain drive available.

*SIZE	A	B	C	D	E	F
6 × 15	6'0"	22'6"	8'0"	7'0"	24'0"	1'0"
6 × 20	6'0"	28'6"	8'0"	7'0"	30'0"	1'0"
6 × 30	6'0"	38'6"	8'0"	7'0"	40'0"	1'0"
8 × 15	8'0"	22'6"	10'0"	9'0"	24'0"	1'3½"
8 × 20	8'0"	28'6"	10'0"	9'0"	30'0"	1'3½"
8 × 25	8'0"	33'6"	10'0"	9'0"	35'0"	1'3½"
10 × 30	10'0"	38'6"	12'0"	11'0"	40'0"	1'6"

NOTE:
Installed angle of screens is down 5" in direction of material flow.

*Other sizes available. Please consult the factory.

Clarke's® Sheet Metal, Inc.

660 Conger Street • P.O. Box 2428
Eugene, Oregon USA 97402-0139
541-343-3395 • FAX 541-345-1447

www.clarkes-ind.com
email: quality@clarkes-ind.com

Clarke's® International, Inc.

660 Conger Street • P.O. Box 2428
Eugene, Oregon USA 97402-0139
541-343-3395 • FAX 541-345-1447